

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 6:] [(11) International Publication Number:	WO 99/25323
A61K 9/28, 9/30, 9/32, 9/34, 9/36, 9/38, 9/42	A1	(43) International Publication Date:	27 May 1999 (27.05.99)
 (21) International Application Number: PCT/US (22) International Filing Date: 13 November 1998 (22) International Filing Date: 13 November 1998 (23) Priority Data: 08/970,489 14 November 1997 (14.11. (71) Applicant: ANDRX PHARMACEUTICALS, INC. Suite 201, 4001 S.W. 47th Avenue, Fort Laudi 33314 (US). (72) Inventors: CHEN, Chih-Ming; 10680 S.W. 40 Davie, FL 33328 (US). CHOU, Joseph, CN.W. 54th Place, Coral Springs, FL 33067 (US). Timothy; 3 South Pine Island, Plantation, FL 33: 17. (74) Agent: COSTIGAN, James, V.; Hedman, Gibson & P.C., 1185 Avenue of the Americas, New York, (US). 	(13.11.9 97) U [US/U: erdale, : th Man th.H.; 57). WEN 22 Costig	BY, CA, CH, CN, CU, CZ, DE GH, GM, HR, HU, ID, IL, IS, LC, LK, LR, LS, LT, LU, LV, MX, NO, NZ, PL, PT, RO, RU, TM, TR, TT, UA, UG, UZ, V (GH, GM, KE, LS, MW, SD, SZ, (AM, AZ, BY, KG, KZ, MD, R (AT, BE, CH, CY, DE, DK, E LU, MC, NL, PT, SE), OAPI CM, GA, GN, GW, ML, MR, MR, MR, MR, MR, MR, MR, MR, MR, MR	E, DK, EE, ES, FI, GB, GE, JP, KE, KG, KP, KR, KZ, MD, MG, MK, MN, MW, SD, SE, SG, SI, SK, SL, TN, YU, ZW, ARIPO pater Z, UG, ZW), Eurasian pater U, TJ, TM), European pater SS, FI, FR, GB, GR, IE, I's patent (BF, BJ, CF, CG, CNE, SN, TD, TG).

(54) Title: OMEPRAZOLE FORMULATION

(57) Abstract

A pharmaceutical composition of omeprazole for oral administration is described which consists essentially of (a) a pellet comprising an inert core component, a therapeutically effective amount of omeprazole, a surface active agent, a filler, a pharmaceutically acceptable alkaline agent and a binder; and (b) a single layer of coating on said pellet which comprises a layer of an enteric coating agent.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

OMEPRAZOLE FORMULATION

10

15

20

25

30

BACKGROUND OF THE INVENTION:

The present invention relates to a stable It is well known that formulation of omeprazole. omeprazole is sensitive to acidic conditions and the after contact with an acid, omeprazole will degrade and will not function in its intended manner. Initially, alkaline materials were added to a core of omeprazole and later an enteric coating was applied over the core to prevent the omeprazole from contacting the acidic pH stomach. This approach οf the conditions satisfactory if the product is administered within a short time after it is manufactured but if the product is stored under ambient conditions, the acidic residue appears to degrade enteric coating the of omeprazole before it is administered to a patient. To solve this problem, the prior art has used a separate layer of a coating agent to coat a pellet core which contains omeprazole and an alkaline material which is thereafter coated with the enteric coating. technique is described in U.S. 4,786,505.

This dual layer coating technique requires application of two separate functional coating of the the length increases operations which manufacturing process and the cost of the product. The have surprisingly discovered a coating applicants system which avoids the need to use a coating layer to separate the omeprazole core from the enteric coating layer in an omeprazole dosage form. The separate coating system is based on the combined use of an enteric coating agent which is applied to pellet cores of omeprazole as a suspension in an suitable solvent.

SUMMARY OF THE INVENTION

The present invention provides a novel dosage form of omeprazole which consists essentially of:

- (a) a pellet comprising an inert core component, a therapeutically effective amount of omeprazole, a surface active agent, a filler, a pharmaceutically acceptable alkaline agent and a binder; and
 - (b) a single layer of coating on said pellet which comprises a layer of an enteric coating agent.
- Accordingly, it is a primary object of this invention to provide a pharmaceutical dosage formulation of omeprazole which is stable upon prolonged storage, is stable when administered to a patient and is capable of providing the desired therapeutic effect.
- It is also an object of this invention to provide a pharmaceutical dosage form of omeprazole which is bioequivalent to dosage forms of omeprazole which have an intermediate layer of an inert coating material.
- It is also an object of this invention to provide a stable dosage form of omegrazole which may be produced without the need to provide an intermediate coating layer that separates the omegrazole containing core from the enteric coating layer.
- These and other objects of the invention will become apparent from a review of the appended specification.

DETAILED DESCRIPTION OF THE INVENTION

The omeprazole formulation of the invention is preferably based on pellets having a core forming inert component which may comprise a starch or sugar sphere such as non-pareil sugar seeds having an average size of from 14 to 35 mesh, preferably about 18 to 20 mesh. The core forming inert component is coated with a formulation which comprises omeprazole, a surface active agent, a filler, an alkaline material and a binder,

which are collectively referred to hereafter as the drug layer composition. The core forming inert component is employed at 1:1 to 5:1 and preferably from 2:1 to 3:1 weight ratio to the drug layer composition.

The omeprazole may comprise from 20 to 70wt% and preferably 40 to 50wt% of the drug layer composition.

5

15

35

The surface active agent may be any pharmaceutically acceptable, non-toxic surfactant.

10 Suitable surface active agents include sodium lauryl sulfate, polysorbate 20, polysorbate 40, polysorbate 60, polysorbate 80 and the like.

The surface active agent may be present at a level of from 0.1 to 5wt% and preferably 0.25 to 2.5wt% based on the total weight of the drug layer composition.

The alkaline material is selected from the group consisting of the sodium, potassium, calcium, and aluminum salts of phosphoric acid, magnesium carbonic acid, citric acid and aluminum/magnesium compounds such as ${\rm Al_2O_3 \cdot 6MgO \cdot CO_2 \cdot 12H_2O}$, ${\rm (Mg_6Al_2 \, (OH_{1-1}) \cdot 10^{-1})}$ 20 $_6$ CO $_3\cdot _4$ H $_2$ O), MgO·Al $_2$ O $_3\cdot _2$ SiO $_2\cdot _n$ H $_2$ O where n is a whole integer of 2 or more. In addition the alkaline material may be selected from the group consisting of antacid materials such as aluminum hydroxides, calcium hydroxides, magnesium hydroxides and magnesium oxide. 25 The alkaline agent may be present at a level of 1 to 20wt% based on the total weight of the coating composition, depending on the relative strength of the alkaline material. If the preferred disodium phosphate alkaline agent is employed, a level of from 1 to 10wt% 30 and preferably 4 to 7wt% based on the weight of the drug layer composition may be employed.

The binder may be any pharmaceutically acceptable, non-toxic pharmaceutically acceptable binder.

The binder is preferably a water soluble polymer of the group consisting of polyvinyl alcohol,

polyvinylpyrrolidone, methylcellulose, hydroxypropyl cellulose, hydroxymethyl cellulose and the like. A water soluble binder is preferred which is applied from an aqueous medium such as water at a level of from 0.1 to 5wt% and preferably from 0.25 to 3wt% of binder based on the total weight of the drug layer composition.

A filler is added to the drug layer. Sugars such as lactose, dextrose, sucrose, maltose, microcrystalline cellulose and the like may be used as fillers in the pellet coating composition. The filler may comprise from 20 to 70wt% and preferably 40 to 50wt% based on the total weight of the drug layer composition.

10

15

20

25

30

35

The enteric coating agent may comprise a acid resisting material which resists acid up to a pH of above about 5.0 or higher which is selected from the group consisting of cellulose acetate phthalate, hydroxypropylmethyl cellulose phthalate, polyvinyl acetate phthalate, carboxymethylethylcellulose, Eudragit L (poly(methacrylic acid, methylmethacrylate), 1:1 ratio; MW (No. Av. 135,000 - USP Type A) or Eudragit S (poly(methacrylic acid, methylmethacrylate, 1:2 ratio MW (No. Av. 135,000 - USP Type B) and mixtures thereof.

The enteric coating agent may also include an inert processing aid in an amount from 10 to 80wt % and preferably 30 to 50wt% based on the total weight of the acid resisting component and the inert processing aid. The inert processing aids include finely divided forms silicon dioxide, magnesium stearate etc. of talc, Typical solvents which may be used to apply the acid resisting component-inert processing aid mixture include isopropyl alcohol, acetone, methylene chloride and the like. Generally the acid resistant component-inert processing aid mixture will be applied from a 5 to 20wt% acid resisting component-inert processsing aid mixture based on the total weight of the solvent and the acid resistant component-inert processing aid.

The cores are formed by spraying the non-

pareil seeds with an aqueous or non-aqueous suspension which contains the alkaline agent, the omeprazole, the surface active agent and the binder. The suspension medium may comprise any low viscosity solvent such as water, isopropyl alcohol, acetone, ethanol or the like. When fluids such as water are employed, this will usually require a weight of fluid which is about seven times the weight of the dry components of the coating composition.

After the cores are dried, the cores are coated with the enteric coating agent. A color imparting agent may be added to the enteric coating agent mixture or a rapidly dissolving seal coat containing color may be coated over the enteric coating agent layer provided that the seal coat is compatible with and does not affect the dissolution of the enteric coating layer.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

20 EXAMPLE 1

10

15

25

Active pellets of omeprazole are formed by placing sugar spheres in a fluidized bed coater and spraying a suspension containing omeprazole onto the sugar spheres. The formulation for making the active pellets has the following composition:

	povidone, USP (Plasdone K90)	4.5g
	sodium lauryl sulfate, NF	10.6g
30	lactose anhydrous, NF	427.7g
	disodium phosphate, NF	51.3g
	omeprazole, USP (micronized)	427.7g
	purified water, USP	3336.0g

The povidone, lactose anhydrous, disodium phosphate and the purified water are mixed with a mechanical mixer until the materials are dissolved. Then

the sodium lauryl sulfate is added to the mixture with gentle stirring to avoid the formation of excess foam until it dissolves completely. At that time the micronized omeprazole is added to the mixture and gentle stirring is continued until the micronized omeprazole is completely dispersed.

2500.0g of non-pareil sugar spheres (USPXII) (18/20 mesh) are placed in the fluidized bed coater and the suspension containing the omeprazole is coated at a product temperature of 35-45°C; an atomization pressure of 1.5 - 3.0 bar and a pump rate of 2-50ml/minute, starting with a slow rate of pumping to avoid agglomeration and increasing the rate of pumping consistent with the avoidance of the formation of agglomerates.

10

15

20

After coating is complete the pellets are dried at a temperature of 50°C until the loss on drying is less than 2.5wt% The pellets are then screened through a #14 mesh screen and coated with the following enteric coating formulation:

	hydroxypropylmethylcellulose phthalate, NF	258.1g
	cetyl alcohol, NF	12.9g
	talc, USP	129.0g
25	isopropyl alcohol, USP*	1663.0g
	acetone, NF*	1663.0g
	*evaporates during processing	

The hydroxypropylmethylcellulose phthalate and
the cetyl alcohol are mixed with the isopropyl alcohol
and the acetone with agitation until all of the
materials are dissolved. The talc is dispersed with
agitation in this solution. One kilogram of the active
pellets are placed in a fluidized bed coater and all of
the enteric coating mixture is applied using the coating
conditions that were used to form the active pellets.
The enteric coated pellets are then placed into No."2",

hard gelatin capsules containing pellets which are equivalent to 20mg of omeprazole.

The capsules were evaluated for stability as follows:

5 Dissolution stability:

After acid treatment for 2 hours in 500ml of 0.1N HCl solution at 37°C, the test samples were tested according to the USP XXII dissolution test (type 1, basket) at 100rpm, at 37° in phosphate buffer medium, USP XXII, at pH 6.8 to determine the percent of the drug dissolved versus time. The following results were obtained:

	Time			Dissolved	
	(min)	initial	40°C/75%RH/1mo	40°C/75%RH/2mo	40°C/75%RH/3mo
15					
	10	87	76	95	93
	20	90	88	96	95
	30	90	86	95	94
	60	86	81	91	89
20					

Chemical and Acid Resistance Stability:

25 The acid resistance study was conducted by using the USP XXII dissolution test (type 1, basket), 100rpm, 37°C.,in a aqueous solution of hydrochloric acid at pH 1.0. The following results were obtained:

30

initial 40°C/75%RH/1mo 40°C/75%RH/2mo 40°C/75%RH/3mo

35	potency (% of LC)	101%	101%	100%	100%
40	acid resistance (% of LC)	97% :	100%	100%	99%

5

25

30

Tmax

A biostudy was carried out to compare the product of Example 1 with Prilosec brand of omeprazole (Ref. Mean) in humans. The following results were obtained in fasting humans:

	Example	1 Mean	<u> </u>	<u>ef. Mean</u>				fid.Interv. upp. lim
10	Cmax	134.50	61.46	133.46	60.11	0.964	72.47%	128.19%
	AUC 0~t	224.38	68.94	214.61	66.24	1.040	96.08%	112.63%
15	AUC 0~8	230.87	65.78	220.54	64.76	1.052	97.42%	113.62%

1.92 44.93 1.232

All of the components which are used in the 20 present invention are used in amounts which are effective for the intended purpose for which the component is employed.

2.33 39.90

While certain preferred and alternative embodiments of the invention have been set forth for purposes of disclosing the invention, modifications to the disclosed embodiments may occur to those who are skilled in the art. Accordingly, the appended claims are intended to cover all embodiments of the invention and modifications thereof which do not depart from the spirit and scope of the invention.

Claims:

1. A stable pharmaceutical composition of omeprazole for oral administration which consists essentially of:

- (a) a pellet comprising an inert core component, a therapeutically effective amount of omeprazole, a surface active agent, a filler, a pharmaceutically acceptable alkaline agent and a binder; and
- 10 (b) a single layer of coating on said pellet which comprises a layer of an enteric coating agent.
 - A pharmaceutical composition of omeprazole as defined in claim 1 wherein the alkaline material is selected from the group consisting of the sodium, potassium, calcium, magnesium and aluminum salts of phosphoric acid, carbonic acid and citric acid.
- 3. A pharmaceutical composition of omeprazole as defined in claim 1 wherein the alkaline material is selected from the group consisting of aluminum hydroxides, calcium hydroxides, magnesium hydroxides and magnesium oxide.
- 4. A pharmaceutical composition of omeprazole as defined in claim 1 wherein the acid resistant component is selected from the group consisting of cellulose acetate phthalate, hydroxypropylmethyl cellulose phthalate, polyvinyl acetate phthalate, polyvinyl acetate phthalate, carboxymethylethylcellulose, co-polymerized methacrylic acid/methacrylic acid methyl esters.
- 5. A pharmaceutical composition of omeprazole as defined in claim 1 wherein the enteric coating agent also includes an inert processing aid.
 - 6. A pharmaceutical composition of omeprazole as defined

in claim 1 wherein the enteric coating agent around the core includes from 10 to 80wt% of and inert processing aid.

- 7. A pharmaceutical composition of omeprazole as defined in claim 1 which includes a sodium lauryl sulfate as the surface active agent.
- 8. A pharmaceutical composition as defined in10 claim 1 wherein the core contains a non-pareil sugar seed.
 - 9. A pelleted pharmaceutical dosage formulation which consists essentially of:
- (a) a core comprising a non-pareil sugar seed coated with drug layer composition comprising omeprazole, a binder, an alkaline agent, a filler and a surface active agent; and
- (b) an enteric coating agent around said core, said 20 enteric coating comprising hydroxypropylmethyl cellulose phthalate and talc.
- 10. A pelleted pharmaceutical dosage formulation as defined in claim 9 wherein the alkaline agent is disodium phosphate.

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/24195

			l	<u>,</u>	
A. CLAS	SIFICATION OF SUBJECT MATTER				
	A61K 9/28,9/30, 9/32, 9/34, 9/36, 9/38, 9/42,				
US CL :	424/474, 475, 476, 477, 479, 480, 481, 482		~A!	4 IDC	
According to	International Patent Classification (IPC) or to both nat	ional classi	ncation	and IFC	
	DS SEARCHED				
Minimum do	cumentation searched (classification system followed b	y classifica	tion syn	nbols)	
U.S. :	424/474, 475, 476, 477, 479, 480, 481, 482				
Documentati	on searched other than minimum documentation to the ex	xtent that su	ch docu	ments are included	in the fields searched
NONE	 ·				1
Electronic d	ata base consulted during the international search (nam	e of data b	ase and,	where practicable,	search terms used)
NONE					
HONE					Ì
C. DOC	UMENTS CONSIDERED TO BE RELEVANT				
					Delevent to eleim No
Category*	Citation of document, with indication, where appr	ropriate, of	the rele	vant passages	Relevant to claim No.
V D	US 5,753,265 A (BERGSTRAND et a	.I \ 10 N	ΛAV	1998 col 6	1-10
X,P	lines 35-53, lines 50-58, col. 7, lines 10-	27 col	10 16	ne 60 and col	1 10
		-27, COI.	10, 11	ne oo and cor.	
	8, lines 30-65.				
1			•		ì
	·				
}					•
1					
Fur	ther documents are listed in the continuation of Box C.	. П	See pa	tent family annex.	
				ant published after the in	nternational filing date or priority
	Special categories of cited documents: document defining the general state of the art which is not considered		iste and n	ot in conflict with the ap	plication but cited to understand
	to be of particular relevance		-	le or theory underlying t	
•E•	earlier document published on or after the international filing date		considered	novel or cannot be considered	the claimed invention cannot be dered to involve an inventive step
	document which may throw doubts on priority claim(s) or which is			locument is taken alone	
	cited to establish the publication date of another citation or other special reason (as specified)	*Y*	document	of particular relevance;	the claimed invention cannot be we step when the document is
•0•	document referring to an oral disclosure, use, exhibition or other		combined ¹	with one or more other st	uch documents, such combination
	means .		•	ous to a person skilled it	
.b.	document published prior to the international filing date but later than the priority date claimed	·&•	document	member of the same pate	ent family
Date of the	he actual completion of the international search	Date of m	ailing o	f the international s	earch report
	•	015	-rn	ເດດດ	·
19 JAN	IUARY 1999	OT!	EB	בבבו	
Nama	d mailing address of the ISA/IIS	Authorize	d Affice		. 1
Commis	d mailing address of the ISA/US sioner of Patents and Trademarks	L	7	MULLIAMSON	U 7
Box PC Washing	T gton, D.C. 2023!	MICE	TAEL A	WILLIAMSON	to
Facsimile		Telephon	e No.	(703) 308-1235	, —
1	• •				

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

D BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.